


DART

DESIGN <i>AB</i>	DRAWN BY <i>AB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>AB</i>	APPROVED <i>AB</i>	DRAWING NO. D3469	REV. A SHEET 1 OF 5
DATE 05.12.12		TITLE SHUT-OFF VALVE ASS'Y	SCALE 1:3

A	05.12.12	NEW ISSUE
A1	06.04.20 <i>AB</i>	CORRECTED BOM ON PAGE 2

**D3469-041 SHUT-OFF VALVE ASS'Y****NOTES:**

- 1) IDENTIFY WITH DART P/N D3469-041 USING FINE POINT PERMANENT INK MARKER
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


QTY -041	P/N	DESCRIPTION
X	D3469-041	SHUT-OFF VALVE ASSEMBLY
1	D3469-043	TUBE ASSEMBLY
1	D3470-041	SHUT-OFF VALVE SHAFT
4	D3470-5	BUTTERFLY VALVE
2	D3470-7	BUTTERFLY VALVE SEAL
1	D3470-9	BOLT
1	AN310-4	NUT
4	AN960-4L	WASHER
4	AN960-416	WASHER
1	MS24665-153	COTTER PIN
4	MS35206-217	SCREW
4	NAS679-A04	NUT

COPYRIGHT © 2005 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. D3469	REV. A SHEET 2 OF 5
DATE 05.12.12	TITLE SHUT-OFF VALVE ASS'Y	SCALE 1:4	

06-04-03



D3469-043 TUBE ASSEMBLY



NOTES:

- 1) SPOT WELD PER DART QSI 004
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010


QTY -043	P/N	DESCRIPTION
X	D3469-043	TUBE ASSEMBLY
2	D3469-1	TUBE
1	D3469-5	LOWER PLATE
4	D3470-5	PLATE VALVE
4	AN960-C416L	WASHER

DART

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. D3469	REV. A	SHEET 3 OF 5
DATE 05.12.12		TITLE SHUT-OFF VALVE ASS'Y	SCALE 1:4	

**D3469-1F TUBE FLAT PATTERN****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK)
(REF. DART SPEC. M304S26GA)
- 2) SPOT WELD PER DART QSI 004
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

**D3469-3 UPPER PLATE BENDING DETAIL****NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5019 (ANNEALED) 2B FINISH
26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) FINISH: NONE
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

HF 06-04-03

DART

DESIGN <i>B</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>H</i>	APPROVED <i>H</i>	DRAWING NO. D3469	REV. A SHEET 5 OF 5
DATE 05.12.12	TITLE SHUT-OFF VALVE ASS'Y	SCALE 1:2	

